
# **TUNGSRAM**

Innovation is our heritage EST. 1896







# GE Start Candle LED3.5/B35/827/E14/220-240V/FR 93063342

# **Product information**

GE's new entry level range, the LED Start Decorative Candle lamps offer real cost out opportunities versus Halogen lamps. Features such as standard IEC dimensions and 15,000 hours rated life with high lumen output creates a highly competitive range.

#### Application areas







### GE Start Candle LED3.5/B35/827/E14/220-240V/FR 93063342

# Product data

Product Code	93063342
Bulb Shape	B35
Bulb Finish	white
Bulb maximum overall diameter [mm]	35
Nominal Length [mm]	107
Net weight per piece [g]	22
Dimmability	No
RoHS compliant	Yes
Brand	GE Lighting
Cap/Base	E14

# Performance data

Colour consistency	6
Rated Lumens [lm]	250
Weighted energy consumption [kWh/1000h]	3.5
Rated efficacy [lm/W]	71
Energy efficiency class (EEC)	A+
Rated life L70/B50 [h]	10 000
Nominal correlated colour temperature (CCT) [K]] 2700	
Nominal lumens [lm]	250
Colour Rendering Index (CRI) [Ra]	80



#### GE Start Candle LED3.5/B35/827/E14/220-240V/FR 93063342

#### Electrical data

Nominal lamp power factor	>0.5
Rated power [W]	3.5
Operating Temperature (MIN) [°C]	-20°C
Operating Temperature (MAX) [°C]	+40°C
Startup time [sec]	<0.5
Power Factor	>0.5
Number of switching cycles	50 000
Dimming Capability	No
Nominal lamp voltage range [V]	220-240V
Nominal power [W]	3.5

#### Logistic data

DUN Code	10064894571234
EAN Code	0064894571237
Pack Quantity	10
Inner pack type	Box
Outer pack type	Carton
Product status	Available

#### Downloads & Links

Go to the catalog site (HTTP)

Product range datasheet (PDF)

Lighting design tools & calculators (HTTP)

Images (HTTP)

Certificate for the Quality Management System of GE Lighting EMEA (PDF)

Certificate for the Environmental Management System of GE Lighting EMEA (PDF)

