
TUNGSRAM

Innovation is our heritage EST. 1896







GU10 Start LED Start GU10 5W(50) 830 35° 93067826

Product information

This new entry level range of highly competitive LED GU10 and R50 products consume only 3.5W and 5W respectively and offer a fantastic energy saving alternative to 50W and 35W Halogen GU10 lamps.



Product data

Product Code	93067826
Bulb Shape	PAR
Bulb Finish	White
Bulb maximum overall diameter [mm]	50
Nominal Length [mm]	53
Net weight per piece [g]	29
RoHS compliant	Yes
Brand	GE Lighting
Cap/Base	GU10

Performance data

Nominal/ Rated Beam Angle [°]	35
Nominal center beam candlepower (CBCP) [cd]	700
Rated Lumens [lm]	360
Weighted energy consumption [kWh/1000h]	5
Useful lumens (at 90° cone) [lm]	360
Rated efficacy [lm/W]	76
Energy efficiency class (EEC)	A+
Rated life L70/B50 [h]	15000
Nominal correlated colour temperature (CCT) [K]]	3000
Nominal lumens [lm]	380
Colour Rendering Index (CRI) [Ra]	80



Electrical data

Nominal lamp power factor	0.5
Rated power [W]	5.0
Number of switching cycles	50000
Dimming Capability	No
Nominal lamp voltage range [V]	220-240
Nominal power [W]	5

Logistic data

DUN Code	10064894580298
EAN Code	0064894580291
Pack Quantity	8
Inner pack type	Box
Product status	Available

Downloads & Links

Go to the catalog site (HTTP)

Product datasheet (PDF)

Lighting design tools & calculators (HTTP)

Images (HTTP)

Certificate for the Quality Management System of GE Lighting EMEA (PDF)

Certificate for the Environmental Management System of GE Lighting EMEA (PDF)

